



Car Clean Products NZ Limited
Ph + 64 9 250 0091 - Fax + 64 9 250 0092 - www.pacer.co.nz
33 Ha Crescent, Wiri - P O Box 97 948 - Manukau - Auckland 2241 - New Zealand

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: Graffiti Remover
Product Code: GR
Product Use: Removal of paint

New Zealand Supplier: Car Clean Products NZ Limited
Address: 33 Ha Crescent
Wiri
Auckland

Telephone: 09 250 0091
Fax Number: 09 250 0092

Emergency Telephone: 0800 POISON (0800 764 766)

Date of MSDS Preparation: July 2015

Section 2. Composition / Information on Ingredients

| Ingredients | Proportion (% mass) | CAS Number |
|-------------|---------------------|-------------|
| Isopropanol | >40 | 67-63-0 |
| Alkyl Ester | >40 | Proprietary |

Section 3. Hazards Identification

Harmful if swallowed. Harmful if inhaled. Causes eye irritation. May cause an allergic skin reaction. Extremely flammable liquid and vapour.
This product is classified as hazardous under HSNO criteria.

Potential Health Effects



DANGER

H224 Extremely flammable liquid and vapour
H301 Toxic if swallowed

H312 Harmful in contact with skin
H332 Harmful if inhaled
H315 Causes skin irritation
H319 Causes serious eye irritation

| | |
|------------|--|
| Swallowed | The single lethal dose for humans is approx. 250ml, however 100ml can be fatal. Symptoms of overexposure include: flushing, pulse rate decrease, blood pressure lowering, anaesthesia, narcosis, headaches, dizziness, mental depression nausea. |
| Eyes | Irritating to the eyes and can cause corneal burns. |
| Skin | Irritating to the skin with prolonged exposure. It may result in dryness and cracking. |
| Inhalation | Irritating to the respiratory tract. In high doses, this product has narcotic effects. |

Section 4. First Aid Measures

Routes of Exposure:

| | |
|------------|---|
| Eye | Hold eyes open and flush with water for at least 15 minutes. Seek medical attention immediately |
| Skin | Immediately remove contaminated clothing and wash skin and clothes thoroughly with running water. |
| Ingestion | Do not induce vomiting. Rinse mouth with water. If victim not breathing begin artificial respiration. Obtain medical attention. |
| Inhalation | Remove to fresh air. If breathing is difficult, seek medical attention immediately |

Section 5. Fire Fighting Measures

| | |
|------------------------------|---|
| Suitable Extinguishing media | Water spray, water fog or fine mist, alcohol foam. |
| Fire and Explosion hazards | Flammable liquid. Vapour accumulation could flash and/or explode if ignited |
| Fire Fighting Instructions | Fire fighters must use recommended protective equipment and self-contained breathing apparatus. Hazchem code 2[Y]E |

Section 6. Accidental Release Measures

| | |
|---------------------|---|
| Land Spill or Leaks | Evacuate spill area and eliminate all ignition sources. Report spill to fire brigade. If possible remove leaking containers to a detached area wearing approved respirator and personal protection equipment. Bund spill area with inert material. Avoid contact with skin and eyes. Do not |
|---------------------|---|

breathe vapour. Extinguish naked flames.
Remove ignition sources. No smoking. Evacuate the area of all non-essential personnel. Shut off leaks, if possible without personal risk. Wear full-face respirator with canister and filter

Section 7. Handling and Storage

Handling Advice: Store away from heat and open flames. Store at ambient temperatures. Keep containers tightly closed and in a well-ventilated place

Storing Procedures: Store away from heat and open flames. Store at ambient temperatures. Keep containers tightly closed and in a well-ventilated place. Do not store alongside food or feedstuffs.

Section 8 Exposure Controls / Personal Protection

Engineering Controls: Use only in well ventilated area. Eliminate sources of static buildup. Earth bulk containers.

Personal Protective Equipment: Wear half face respirator with organic vapour cartridge with built-in particulate filter NPF20 (gas only). Chemical monogoggles ,PVC gloves, chemical resistant safety shoes or boots and standard issue work clothes should be worn

Section 9 Physical and Chemical Properties

| | |
|---------------------------------|-------------------------|
| Appearance | Clear liquid |
| Odour: | Sharp hydrocarbon smell |
| Odour threshold | Data not available |
| pH | N/A |
| Melting/Freezing point | Data not available |
| Initial boiling point/range | Data not available |
| Flash point | 12°C |
| Flammability | Data not available |
| Upper/Lower flammability limits | Data not available |
| Vapour pressure | 4.3kPa |
| Vapour density | Data not available |
| Relative density | 0.785 @ 15°C |
| Solubility in water, % mass: | Miscible with water |
| Partition coefficient | Data not available |
| Auto-ignition temperature | >350°C |
| Decomposition temperature | Data not available |
| Kinematic viscosity | Data not available |
| Particle characteristics | Data not available |

Section 10. Stability and Reactivity

| | |
|----------------------------------|--|
| Chemical Stability | Stable at room temperature and pressure |
| Conditions to Avoid | Sources of heat and ignition, open flames |
| Incompatibility | Stored mixtures with MEK produce explosive peroxides. Increased rate of peroxide formation with isobutanol. Peroxide production sharply decreases the Autoignition Temperature. Violent explosive reactions with metal oxides, oxidizing agents, halogenate. |
| Hazardous Decomposition Products | No decomposition products except in fire then carbon dioxide and carbon monoxide. |

Section 11 Toxicological Information

| | |
|-----------------------|---|
| Acute Oral Toxicity | The single lethal dose for humans is approx. 250ml, however 100ml can be fatal. |
| Acute Dermal Toxicity | Acute dermal LC50 (rat) expected to be >5 mg/l. |
| Inhalation | Acute inhalation LC50 (rat) expected to be > 5 mg/l. May cause headache, dizziness, nausea and narcosis |
| Long term Effects | Questionable carcinogen. Mutation data reported. |

Section 12. Ecotoxicological Information

Environmental Precautions:

Ecological Toxicity *Volatilises in air*

Environmental Fate:

Soil *Product is highly volatile and will rapidly evaporate to the air.*

Water *As for soil*

Environmental Exposure Limits EEL_{water} Not set

Section 13. Disposal Considerations

Dispose of waste at an appropriate waste disposal facility in accordance with local authority bylaws.

Empty and open containers can retain vapour residues for long periods of time risking unintended ignition or explosion. Puncture or crush before sending to a landfill.

Section 14 Transport Information

Road, Rail, Marine and Air Transport

UN No : 1993
 Class-primary : 3
 Packing Group : II
 Proper Shipping Name: : Flammable Liquids N.O.S. LFP

Section 15 Regulatory Information

Primary HSNO Class 3.1B,
 Subsidiary classes 6.1E, 6.3B, 6.4A
 ERMA Approval No HSR002525

Section 16 Other Information

Under the HSNO Regulations, for quantities held on a site over ;

- 250L in containers > 5L or
 500 L in containers < 5L a certificated approved handler is required to be available
- 100L in containers > 5L or 250 L in containers < 5L, or 50L continuously open a
 Location Test Certificate for storage is required
- 250L hazchem site signage is required
- 250L an emergency response plan is required

Packaged in, 4lt containers & 20Ltr Containers. Codes: GR4, GR20

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand proprietor, Car Clean Products NZ Limited,
 Phone: 09 250 0091, if further information is required.



Car Clean Products NZ Limited
Ph + 64 9 250 0091 - Fax + 64 9 250 0092 - www.pacer.co.nz
33 Ha Crescent, Wiri - P O Box 97 948 - Manukau - Auckland 2241 - New Zealand

GRAFFITI REMOVER

PURPOSE:

Graffiti Remover is designed to remove graffiti on metal, wood and concrete surfaces

DIRECTIONS:

Cleaning: Use as is. Spray onto surface, agitate to clean and then wipe off with a clean cloth or allow to evaporate.

WARNING:

Harmful if swallowed, inhaled or absorbed through skin. May cause skin and eye irritation.

DANGER:

GIVES OFF HIGHLY FLAMMABLE VAPOUR.

Keep well away from heat, sparks and open flame. Keep closed when not in use.

KEEP OUT OF REACH OF CHILDREN.